



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

In concluding this report I would respectfully suggest the futility of further inspecting sloops and small vessels arriving in Washington from the lower Potomac and Rappahannock, for the reason that there are no cases of smallpox at any of the points in Virginia under surveillance; that the cases in Charles County, Md., are some distance from the Wicomico and Potomac rivers; that these cases have been isolated, and the only possible danger of the spread of the disease is due to the imperfect method employed in disinfecting the first house in which the disease appeared in Charles County, Md. It is unfortunate that the steamer *Wakefield* should not have been fumigated at once. The other vessels have been in the hands of the health authorities and are now no longer a source of danger.

Respectfully,

ARTHUR SNOWDEN,
Acting Assistant Surgeon, U. S. M. H. S.

Smallpox in Wyoming.

ROCK SPRINGS, WYO., May 26, 1900.

SIR: I beg leave to report the following new cases for the week ended Saturday, May 26: Rock Springs, 8; Aspen, 6; total new cases, 14.

There has been a total of 22 cases at Rock Creek, Albany County, Wyo.

A comparison with my last report, which I failed to keep, will show you a total number new cases of this week.

Respectfully,

R. HARVEY REED,
Surgeon General.

REPORT FROM THE MEXICAN BORDER.

El Paso, Tex., May 26, 1900.—I have the honor to submit the following summary of work at this station for the week ended May 26, 1900: Inspection Mexican Central Railroad passengers, 220; inspection Rio Grande and Pacific Railroad passengers, 29; inspection of Mexican immigrants, 37; inspection of Russian peasant immigrants, men and women, 39; children, 22; vaccination of Mexican children, 10; vaccination of Russian children, 13; disinfection of Mexican immigrants' blankets, clothing, etc., 19; disinfection of Russian immigrants' clothing, females, 17; disinfection of soiled linen imported for laundry, 342 pieces; vaccination against bubonic plague (Haffkine serum, manufactured by Mulford), 4.

Respectfully,

E. ALEXANDER,
Acting Assistant Surgeon, U. S. M. H. S.

Reports of States and yearly and monthly reports of cities of the United States.

CONNECTICUT—*Stamford.*—Month of May, 1900. Estimated population, 18,500. Total number of deaths not reported. One death from measles reported.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended May 26, 1900, from 73 observers, indicate that erysipelas, inflammation of kidney, and diarrhea increased and inflammation of bowels and intermittent fever decreased in area of prevalence. Phthisis pulmonalis was reported present at 161, measles at 106, scarlet fever at

65, enteric fever at 25, diphtheria at 24, whooping cough at 20, smallpox at 11, and cerebro spinal meningitis at 5 places.

NEW JERSEY—*Paterson*.—Month of April, 1900. Estimated population, 120,388. Total number of deaths, 156, including diphtheria, 2; enteric fever, 2; whooping cough, 1, and 17 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State from 19 towns having an aggregate estimated population of 116,950—white, 67,375; colored, 49,575, show a total of 189 deaths, including enteric fever, 1; scarlet fever, 1; whooping cough, 1, and 17 from phthisis pulmonalis.

Wilmington.—Month of May, 1900. Census population, 20,056. Total number of deaths, 55. No deaths from contagious diseases reported.

OHIO—*East Liverpool*.—Month of May, 1900. Estimated population, 20,000. Total number of deaths, 20, including 5 from phthisis pulmonalis.

Toledo.—Month of April, 1900. Estimated population, 150,000. Total number of deaths, 151, including diphtheria, 8; enteric fever, 2; measles, 1; scarlet fever, 2, and 18 from tuberculosis.

PENNSYLVANIA—*Columbia*.—Month ended June 2, 1900. Estimated population, 14,500. Total number of deaths, 23, including diphtheria, 1, and 2 from enteric fever.

VIRGINIA—*Richmond*.—Month of January, 1900. Estimated population, 101,560—white, 63,220; colored, 38,340. Total number of deaths, 141—white, 65; colored, 76, including diphtheria, 1; enteric fever, 2, and 25 from tuberculosis.

Month of February, 1900. Total number of deaths, 129—white, 65; colored, 64, including enteric fever, 3; measles, 1, and 17 from tuberculosis.

Month of March, 1900. Total number of deaths, 172, including enteric fever, 2, and 27 from tuberculosis.

WASHINGTON—*Seattle*.—Month of April, 1900. Estimated population, 90,000. Total number of deaths, 84, including enteric fever, 2; scarlet fever, 1; whooping cough, 1, and 10 from phthisis pulmonalis.

Report of immigration at Baltimore for the week ended June 2, 1900.

OFFICE OF U. S. COMMISSIONER OF IMMIGRATION,
Port of Baltimore, June 2, 1900.

May 31, steamship *H. H. Meier*, from Bremen, with 1,106 immigrants.
PERCY C. HENNIGHAUSEN,
Commissioner.